





Add : Göztepe Mh. Batışehir Cd,Batışehir Sitesi k3
Blok No. : 61, Bağcılar/ İstanbul,Türkiye

Tel : +90 212 491 00 46 - Fax : +90 212 491 00 42
GSM: +90 532 588 41 00 | +90 537 368 28 28
mail: info@gps-ascom.com
Web: www.gps-ascom.com




BISCUIT
PRODUCTION LINE






GPS as-com Company is an American Company and its Head Office is in California Works in the Fields of Industry and Trade Including Food and Engineering Sector.


In 2009 it Bought 25% Shares of Some Turkish Factories to Produce Machines Which Allowing it the Opportunity to Manage the Sales of These Factories All Over the World.










- ▶ **MIXER**
- ▶ **SOFT BISCUIT LINE**
- ▶ **HARD BISCUIT LINE**
- ▶ **CRACKER BISCUIT LINE**
- ▶ **STIC CRACKER LIN**
- ▶ **BISCUIT SANDWICHING MACHINE**
- ▶ **OVERWRAPPING PACKING MACHINE**







ESKORT DOUBLE ARMS SIGMA MIXERS			
	Type		
	ESK-HSM-2Z-125	ESK-HSM-2Z-2250	ESK-HSM-2Z-450
Mixing Capacity Kg.	125	225	450
Volume Capacity m ³ .	0,23	0,43	0,85
Power kW.	7,5+7,5=15	11+11=22	22+22=44
Sizes L-W-H mm.	1350-900-1300	1900-1200-1800	2700-1600-2500
Weight kg.	1800	3800	6800
	Technical specifications		
	Touch panel control.		
	PLC control.		
	Bowl and arms stainless steel		
	Elektronic speed driver.		
	Slow and high mixing speed adjustable.		
	Slow and high mixing time adjustable		
	Adjustable mixing time.		
	Different mixing program enable.		
	Double jacket.		
	Bowl temperature to seeing.		
	Read for feeding row material.		
	Liftin unit gear motor		




PLANET MIXER								
Model	Mixing Dimensions Capacity (Kg)	Volume Capacity (m3)	Mixing Power (kW)	Dimensions				
				A	B	C	D	E
Model ESK PLT 75	75	0.15	15	1965	1430	1185	665	770
Model ESK	150	0.3	22	2810	2042	1695	950	1100
Model ESK PLT 225	225	0.45	30	3655	2655	2205	1235	1430
				Technical specifications				
				Touch screen controlled, (operated)				
				PLC control.				
				Elektronic speed driver. Mixing in infinite revolution and times.				
				Creating different mixing programs.				
				Easy and quick hoe changing, using of different hoos.				
				Mixing and wiping of bowl at same time.				
				Easy cleaning and removable dough bowl.				
				Automatic washing.				
				Dought hygiene protected.				
				Dought proof.				


SOFT BISCUIT FORMING



ROTARY MOLDING MACHINE




- 1 ROTARY MOULDING AND CUTTING MACHINE
- 2 FEEDING CONVEYOR
- 3 OVEN
- 4 TAKE OUT CONVEYOR
- 5 STACKER
- 6 COOLING CONVEYOR





ASCOM MAKINA SAN. T. Ltd. Sti
Manufacturing Production Lines

2




- 1 DOUGH SHETER
- 2 GUAGE ROLLS
- 3 ROTARY MOULDING AND CUTTING MACHINE
- 4 SCRAB RETURN CONVEYOR
- 5 FEEDING CONVEYOR
- 6 OVEN
- 7 TAKE OUT CONVEYOR
- 8 STACKER
- 9 COOLING CONVEYOR




CUTING MACHINE AND SCRAB RETURN

BISCUIT FORMING









- 1 SHEETER, GAUGE ROLLS AND CUTTING MACHINE
- 2 DOUGH SCRAP RETURN CONVEYOR
- 3 SODA TANK
- 4 SESAME SPRINKLER, BISCUIT FEEDING CONVEYOR
- 5 BISCUIT OVEN
- 6 BISCUIT TAKE OFF CONVEYOR
- 7 BISCUIT COOLING CONVEYOR
- 8 PACKING MACHINE FEEDING CONVEYOR
- 9 VERTICAL PACKING MACHINE AND WEIGHTING SYSTEM
- 10 DOUGH MIXER





4 5







1 2 3 4



GPS-ASCOM
ASCOM MAKINA SAN. TİC. LTD. ŞTİ.
Manufacturing Prod.




- | | |
|--------------------------------------|---|
| 1 DOUGH MIXER | 10 TRANSFER CONVEYOR |
| 2 DOUGH FEDER | 11 LYE BATH |
| 3 DOUGH CONVEYOR | 12 SALT /SESAME SPRINKLER AND CONVEYOR |
| 4 SHEETER | 13 BISCUIT FEEDING CONVEYOR |
| 5 GAUGE ROLLS | 14 OVEN |
| 6 RESTING CONVEYOR | 15 OVEN EXIT |
| 7 CUTTING MOULDER | 16 BISCUIT TAKE OFF CONVEYOR |
| 8 NOTCHING | 17 COOLING CONVEYOR |
| 9 DOUGH SCRAP RETURN CONVEYOR | 18 PACKING |







- 1 DOUGH MIXER
- 2 SHEETER
- 3 SODA BATH
- 4 SALT SPRINKLER
- 5 OVEN
- 6 COOLING CONVEYOR
- 7 PACKING MACHINE


- 1 PLANETARY MIXER
- 2 DOUGH TUBE
- 3 DEPOSITOR
- 4 OVEN
- 5 PRODUCT HANDLING CONVEYOR
- 6 COOLING CONVEYOR






Cream Sandwiching Machine 4 head	
Type	ESK-KM-04
Capacity	2400 sandwich / min, 2400 sandviç / dak
Round biscuit	Ø 38 – 60 mm
Rectangular biscuit width	38 – 60 mm
Rectangular biscuit length	25 – 60 mm
Electrical power	5 kW. 380V
Weight	1700 kg
Elektronik speed kontrol.All motors(5 motor) synchronized to each other automatically	
All machinery have one year guarantee.	
Out conveyor enable.	
Cream stok tank enable.	

Type	ESK-KM-02
Capacity	1200 sandwich / min, 1200 sandviç / dak
Round biscuit	Ø 38 – 70 mm
Rectangular biscuit width	38 – 70 mm
Rectangular biscuit length	25 – 70 mm
Electrical power	3kW
Weight	1200 kg





TYPE ESK-OWP-01

CAPACITY 30-50 PPM, 30-50 PAK. / DAK

ROUND BISCUIT Ø 30 – 70 MM

RECTANGULAR BISCUIT WIDTH - 30 – 75 MM

PACKAGE LENGTH - 50 – 300 MM

ELECTRICAL POWER - 3 KW

WEIGHT – 1100 KG

WRAPPING MATERIALS – CELLOPHANE, PVC (SELOFAN, PVC)

WRAPPING DIMENSIONS – MAX Ø 350X350 MM (MAKS. Ø 350X350 MM)

TECNICAL PROPERTIES

PACKING EASY OPEN SYSTEM OPTIONS

MACHINE IS EQUIPPED WITH PHOTOCCELL

ELEKTRONIC SPEED CONTROL

PACKAGING IS MADE BY HEAT SEALING OF SIDE SURFACE AND FRONT SURFACE. SIDE IS FOLDED LIKE ENVELOPE, FRONT SIDE IS ENFOLDED OR PILED AND HEAT SEALED.

THE MACHINE CAN BE ADJUSTED EASILY ACCORDING TO THE SIZE OF REQUIRED PRODUCT.

ROUND, RECTANGULAR, SQUARE, OVAL SHAPES ARE PACKED IN THE BEST POSSIBLE WAY.




SEALING IS DONE BY HEAT. HEAT THERMOSTATIC CONTROL.



STAINLESS STEEL OUTSIDE PLANKING.

OPTIONAL PARTS


PLC TOUCHPOINT CONTROL UNIT

DATE PRINTER





Type	ESK-KFP-01
Capacity	120 ppm, 120 pak. / dak
Round biscuit	Ø 38 – 70 mm
Rectangular biscuit width	30 – 70 mm
Packing length	50 – 300 mm
Electrical power	4 kW
Weight	1100 kg
Wrapping materials	Cellophane, PVC (Selofan, PVC)
Wrapping dimensions	max Ø 350x350 mm (Maks. Ø 350x350 mm)



**HEAD OFFICE**

Los Angeles - California USA

George Nofal

Tel: +18 1 82908503

Fax: +18 1 82908504

usa@gps-ascom.com

**EXECUTIVE OFFICE**

Istanbul - Turkey

Hussien Sabsabi

Tel: +90 212 4910046

Fax: +90 212 4910042

Mob: +90 532 5884100

info@gps-ascom.com

**After Sales Service:**

Tel: +90 531 6751015

**For Any Complaint:**

Tel: +90 537 3682828

ARAB WORLDAlgeria - Algeria
Benbadra

Tel: +213 45 308295

Fax: +213 45 308293

algeria@gps-ascom.com



Cairo - Egypt

Hosaam Habsh

Tel: +20 23 8244696

Fax: +20 23 8244697

egypt@gps-ascom.com



Baghdad - Iraq

Adil Kazem Jared

Tel: +964 7700837755

Fax: +964 79 02567237

iraq@gps-ascom.com



Amman - Jordan

Mahmud Muflih Alzoubi

Tel: +962 6 5525017

Fax: +962 6 5525047

jordan@gps-ascom.com



Kuwait - Kuwait

Wakas Tajar

Tel: +965 22 622952

Fax: +965 22 622952

kuwait@gps-ascom.com



Benghazi - Libya

Ayad Aldaghari

Tel: +21 89 13325085

Fax: +21 84 83325607

libya@gps-ascom.com



Trapolus - Lebanon

Sameer Aljamal

Tel: +961 70205544

Fax: +961 6384799

lebanon@gps-ascom.com



Nouakchott - Mauritania

Hasan Abass

Tel: +222 46 448678

Fax: +222 45 259723

mauritania@gps-ascom.com



Muscat - Oman

Ayman Araar

Tel: +971 4 2545588

Fax: +971 4 2545592

uae@gps-ascom.com



Palestine - Palestine

Mohammed Nawaf Mosle

Tel: +972 59 7060708

Fax: +970 82 838195

palestine@gps-ascom.com



Doha - Qatar

Mohammed Kamand

Tel: +974 55 990669

Fax: +974 34 765342

qatar@gps-ascom.com



Khatoum - Sudan

Altaef Hussien Elyas Al Naeel

Tel: +249 91 2304002

Fax: +249 91 2172062

sudan@gps-ascom.com



Aleppo - Syria

Subhi Younes

Tel: +963 962 851588

Fax: +963 21 2635892

syria@gps-ascom.com



Jeddah - Saudi Arabia

Zaid Al saed

Tel: +966 50 550 4776

Fax: +966 44 7462381

ksa@gps-ascom.com



Tunis - Tunis

Anis Jamoussi

Tel: +216 71 785157

Fax: +216 71 794434

tunis@gps-ascom.com



Dubai - UAE

Atman Araar

Tel: +971 4 2545588

Fax: +971 4 2545592

uae@gps-ascom.com

AFRICA

Abidjan - Cote D'ivoire

Fayez Sudan

Tel: +225 5841 00 04

Fax: +225 2 1352959

cotedivoire@gps-ascom.com



Kinshase - Democratic Congo

Mohamed AAhmed Sheikh

Tel: +243 97 1682465

Fax: +243 97 15498561

congo@gps-ascom.com



Djibout - Djibout

Sahal Amarkak

Tel: +253 77 872200

Fax: +253 77 634218

djiboute@gps-ascom.com



Eaddis Ababa - Ethiopia

Green Plc

Tel: +251 9 11201872

Fax: +251 1 16477718

Mob: + 251911612320

ethiopia@gps-ascom.com



Tema - Ghana

Ghassan Krayem

Tel: +233 3 02813347

Fax: +233 3 02811658

ghana@gps-ascom.com



Nairobi - Kenya

Faisal Mohammed

Tel: +254 7 24555565

Fax: +254 7 23376891

kenya@gps-ascom.com



Lagos - Nigeria

Sulieaman Junaid

Tel: +234 80 37889132

Fax: +234 80 57327795

nigeria@gps-ascom.com



Mogadishu - Somalia

Ahmed Muhammad

Tel: +252 6 15184585

Fax: +252 7 15498561

somalia@gps-ascom.com



Juba - South Sudan

Suleyman Haji Abdalla

Tel: +256 7 91467628

Fax: +256 1 91354974

southsudan@gps-ascom.com



Pretoria - South Africa

Mohamed Hassan

Tel: +278 2 4471835

Fax: +278 2 7891345

southafrica@gps-ascom.com



Kampala - Uganda

Ahmed Abdikader

Tel: +256 7 00937500

Fax: +256 0 08356891

uganda@gps-ascom.com



Benin

Kays Rashwani

Tel: +229 96 08 05 05

Fax: +229 67 00 01 11

benin@gps-ascom.com



Burkina Faso

Sawadogo Abdoul Moumini

Tel: +226 20 97 51 31

Fax: +226 78 03 67 92

burkinafaso@gps-ascom.com

EUROPE

Sofia - Bulgatia

Jimmy

Tel: +359 3 2945616

Fax: +359 3 2943217

bulgaria@gps-ascom.com



Helsinki - Finland

Shujaa Musse

Tel: +358 9 72317330

Fax: +358 9 72317332

finland@gps-ascom.com



Paris - France

Ayman Aktarini

Tel: +33 1 47298227

Fax: +33 1 47298226

france@gps-ascom.com



Athens - Greece

Demetri

Tel: +30 21 09659587

Fax: +30 21 09659134

greece@gps-ascom.com



Bucharest - Romania

Ninel

Tel: +40 7 21686275

Fax: +40 7 21682163

romania@gps-ascom.com



Stockholm - Sweden

Morhaf Wuiq

Tel: +46 7 27150732

Fax: +46 7 27837432

sweden@gps-ascom.com



Island of Ibiza - Spain

Imad Sabsabi

Tel: +34 6 2837916

Fax: +34 6 3642146

spain@gps-ascom.com



Oslo - Norway

Hisam Douba

Tel: +47 47 86 86 87

Fax: +47 31 28 84 68

norway@gps-ascom.com



Holland

Mahmmod Kamand

Tel: +31 6 59184860

Fax: +31 659184861

holland@gps-ascom.com

ASIA

Yiwu - China

Sami + Subhi

Tel: +86 1 5868968851

Fax: +86 5 7985582645

china-yiwu@gps-ascom.com



Tahran - Iran

Siyamk Motaghi

Tel: +98 91 21728188

Fax: +98 91 21729122

iran@gps-ascom.com



New Delhi - India

Kamal Gupta

Tel: +92 2 55140462

Fax: +92 2 55276582

india@gps-ascom.com



Almata - Kazakhstan

Sami Sabsabi

Tel: +77 7 77898666

Fax: +77 7 72559516

kazakhstan@gps-ascom.com



Moscow - Russia

Mosbah Sabsabi

Tel: +749 9 9184250

Fax: +798 5 9166633

russia@gps-ascom.com



ASCOM MAKINA SAN. Tic .Ltd. Sti

Manufacturing Production Lines

