



Add : Göztepe Mh. Batışehir Cd,Batışehir Sitesi k3
Blok No. : 61, Bağcılar/ Istanbul,Türkiye


Tel : +90 212 491 00 46 - Fax : +90 212 491 00 42
GSM: +90 532 588 41 00 | +90 537 368 28 28
mail: info@gps-ascom.com
Web: www.gps-ascom.com

PACKING
PRODUCTION LINE






Date: _____



GPS as-com Company is an
American Company and its
Head Office is in California
Works in the Fields of
Industry and Trade Including
Food and Engineering
Sector.

In 2009 it Bought 25%
Shares of Some Turkish
Factories to Produce
Machines Which Allowing it
the Opportunity to Manage
the Sales of These Factories
All Over the World.






► text®

► text

► text



GPS-ASCOM



1-Preparation and Reception Section




3


VERTICAL PACKAGING MACHINE

GVW

Vertical continuous motion Packaging machinery with
14 head electronic weigher



	GVW 14
Machine System	Continuous Motion With Servo Motor
Filling System	14-Multihead Electronic Combination Weighing System
Products	Cereals, nuts, dried fruits, chocolates, candies, potato & corn chips, waffles, biscuits, pasta, cookies, frozen meat/vegetable/fruits and etc.
Weight Range (gr)	20 -1000 gr.
Packing Speed	80-120 ppm
Width of the Bag	70-250 mm
Length of the Bag	80-340 mm
Type of packs	Pillow pack , Stand up Pack and Quadro pack
Dim of the Mach	250 x 300 x 370 cm
Weight	1'700 kg.
Packaging Material	OPP, CPP, PET, AL, MetOPP and all kinds of laminated film or PE
Electricity Supply	6,00-Kw/h 3 x 380 Volt AC / N / E
Air Supply	6-bar 300 lt/min.



VERTICAL PACKAGING MACHINE

GVV

Volumetric Dosing system

	GVV
Filling System	Volumetric Filling System
Products	Pulses
Weight Range (gr)	20-1000 gr
Packing Speed	15-50 pgs / minute
Type of packs	Pillow , Standup , Quadro
Packaging Material	Opp/Cpp/Pet/Al.And Another Laminations Ambalaj
Electricity Supply	3x380 V 50 HZ 4KW
Air Supply	6-8 BAR 300 L



4 ▶ VERTICAL PACKAGING MACHINE
GVS

Auger (Screw) Dosing system




	GVS
Filling System	Auger (Screw)l
Products	Milk Powder Spices,salt,powder Detergent ,instant Drinks,Coffeand etc
Weight Range (gr)	20-2500
Packing Speed	40-60ppm
Width of the Bag	70-250mm
Length of the Bag	80-340mm
Dim of the Mach	180x200x310 cm
Weight	1100kg
Packaging Material	OPP,CPP,PET,AL,METOPP
Electricity Supply	3X380 Volt/5.00 kw/h
Air Supply	6bar / 300lt/min



▶ VERTICAL PACKAGING MACHINE
GVL

Vertical Triangle Pouch Ffs (Form, Fill, Seal) Machine



	GVL
products	
weight Range	Max 500 gr
Capacity	30bag/min
Width of the Bag	62-100mm
Length of the Bag	100-260mm
Electricity Supply	4.00kw/h
Air supply	6bar-300L/min
Film Dimensions	width220-Core76mm



5

VERTICAL PACKAGING MACHINE

GVU

FLOUR PACKAGING MACHINE

	GVU
Capacity	25-28Pcs/min for 1Kg
Package weight	1kg-2kg-5kg
Min. packags size	100x60x280mm
Max. packags size	200x200x410mm
Power	380 V-50Hz
Weight of the machine	1350 Kg
Energy Consumption	20 Kw/h



FULL AUTOMATIC FLOUR FILLING LINE

GFL

FLOUR PACKAGING LINE

	GFL
Capacity	12-26Pcs/min
Package weight	1kg-2kg-5kg
Min. packags size	100x60x280mm
Max. packags size	200x200x410mm
Power	380 V-50Hz
Weight of the machine	1200 Kg
Energy Consumption	20 Kw



6 ▶ VERTICAL FILLING MACHINE
GVF1

AUTOMATIC VERTICAL FILLING AND SEWING MACHINE



	GVF
Capacity	20Pcs /min
filling range	5-50Kg
Air	6Bar
Power	380V-4Kw
weight	800Kg

VERTICAL FILLING MACHINE
GVF2

AUTOMATIC VERTICAL FILLING MACHINE



	GVF2
Capacity	40packs/min
filling range	1-10Kg
Air Consumption	6Bar-150L/min
Power	380V-50hz
weight	1300Kg



7 ▶ ROTARY FILLING MACHINE
GRF



ROTARY FILLING AND PACKAGING MACHINE



	GRF-1	GRF-2	GRF-3	GRF-4
Capacity	1200-1300 Pcs/H	2200-2300 Pcs/H	3300-3500 pcs/H	4300-4500 Pcs/H
Filling Grammaj	100 - 500 G	100 - 500 G	100 - 500 G	100 - 500 G
Diameter of Cups	Ø75. Ø95 etc	Ø 75.Ø 95 etc	Ø 75.Ø 95 etc	Ø 75.Ø 95 etc
Filling Material	Ayrn, Water, Juice Barmy Milk, Cream Cheese Chocoream etc	Ayrn, Water, Juice Barmy Milk, Cream Cheese Chocoream etc	Ayrn, Water, Juice Barmy Milk, Cream Cheese Chocoream etc	Ayrn, Water, Juice Barmy Milk, Cream Cheese Chocoream etc
Number of Filling Nozzles	1 Pcs	2 Pcs	3 Pcs	4 Pcs

▶ ROTARY FILLING MACHINE
GRF

ROTARY FILLING AND PACKAGING MACHINE



8

TUBE FILLING MACHINE

GTF

ROTARY TAYP TUBE FILLING MACHINE




	GTF
Capacity	1300-2500pcs/h
Filling Grammaj	30gr-220gr
Diameter of tubes	Ø3-Ø6mm
Filling Material	Cosmetic cream
	Honey - Chocolate cream
Number of Filling Nozzles	1-2Nozzle
Stainless Steel Material	304-316Stainless Steel


LINEER FILLING MACHINE

GLF

LINEER FILLING AND PACKAGING MACHINE



	GLF
Capacity	2500-5000pcs/h
Filling Grammaj	100gr-450gr
Diameter of tubes	Ø75-Ø95mm
Filling Material	Ayran- Yogurt - Cream Cheese
	water - chocolate
Number of Filling Nozzles	2-4Nozzle
Stainless Steel Material	304-316Stainless Steel



GPS-ASCOM

9

JARS FILLING MACHINE

GJF



	GJF
Capacity	500-3000pcs/h
Filling Grammaj	100gr-2000gr
Filling Material	Tomato Paste- Yogurt - Jam Cream Cheese - Chocolate
Number of Filling Nozzles	2-4-6Nozzle
Stainless Steel Material	304-316Stainless Steel



GPS-ASCOM

TIN CAPPING MACHINE

GTC






LINEER BOTTLE FILLING MACHINE



Capacity	500-600pcs/h
Filling Grammaj	200-2000Gr
Filling Material	water - jucie - ayran - milk olive oil



ROTARY BOTTLE FILLING MACHINE



Capacity	4000-20000pcs/h
Filling Grammaj	200-2000Gr
Filling Material	water - jucie - ayran - milk olive oil




LINEER BOTTLE BLOWING MACHINE



Bottel will be blown	Capacity
0.5-1.5LT	3000-6000PCS/H
5-10LT	1200-2400PCS/H
19LT	500-1000PCS/H

GPS
ASCOM MAKINA SAN. Tic. Ltd. Sti
Manufacturing Production Lines

DEMIJOHN FILLING AND PACKAGING LINE



12▶

THERMOFORMING PACKAGING MACHINE

GTP




	GTP
Capacity	6-8cycles/min
Film Widths	200-360mm
Film Thickness	80-700mic
Shape Depth	Max.90mm
Bottom Film	(Pa+Pe)/(Pvc+Pe)/(Pet+Pe)I
Top Film	(Pa+Pe)
Step	80-240mm
Stainless Steel Material	304-316Stainless Steel



21▶

THERMOFORMING FILLING MACHINE

GTF



	GTF
Capacity	20-24cycles/min
Base Film	PVC+PE,PS+PE
Lid Film	AL+OPP,AL
Shape Depth	Max.95mm
Reel Diameter	Base:max.600mm-Lid:max300mm
Compressed Air	6bar-max. 1500 L /min
Cooling Water	12-16C-4900 Kcal/hour
Electrical Values	max.15kw - 380 v



VERTICAL 4 SIDE MACHINE
GV4

FULLY AUTOMATIC 4SIDE FFS (FORM,FILL,SEAL)MACHINE

	GV4
Filling Stations	up to 6 lines
products	Spices,Salt,Powder Detergent,instant Drinks,Coffeand etc
weight Range	10-50 gr
Capacity	360 pcs / min
Width of the Bag	40x47 mm
Length of the Bag	50x140 mm
Electricity Supply	3x380 volt 11.00 kw
Air supply	6 bar 250 lt / min



HORIZONTAL 3SIDE MACHINE
GH3



	GH3
products	Spices,Salt,Powder Detergent,instant Drinks,Coffeand etc
weight Range	40 - 250 gr
Capacity	90 - 130 pcs / min
Width of the Bag	70 - 140 mm
Length of the Bag	100 - 200 mm
Electricity Supply	3x380 volt 7.50 kw/h
Air supply	6 bar 250 lt / min



FULLY AUTOMATIC 3 LINES VERTICAL STICK SACHET FFS MACHINE




	GVS1
Filling System	screw
products	Spices, Salt, Powder Detergent, instant Drinks, Coffeand etc
weight Range	10-50 gr
Capacity	150 pcs / min
Width of the Bag	25x45 mm
Length of the Bag	80x160 mm
Electricity Supply	3x380 volt 5.00 kw / h
Air supply	6 bar 360 lt / min




STICKPACK MACHINE WITH GRANULE FEEDER



	GVS2
Filling System	Granule feeder
products	Spices, Salt, Powder Detergent, instant Drinks, Coffeand etc
weight Range	10-60 gr
Capacity	330 pcs / min
Width of the Bag	60-100 mm
Length of the Bag	100-200 mm
Electricity Supply	3x380 volt 6.00 kw/h
Air supply	6 bar 400 lt / min



FULLY AUTOMATIC HORIZONTAL STAND UP BAG MACHINE




	GHS
products	salt, powder Detergent instant Drinks, Coffeand etc
weight Range	Max 500 gr
Capacity	60bag/min
Width of the Bag	70x140 mm
Length of the Bag	100x200 mm
Electricity Supply	10kw/h
Air supply	6bar-600L/min
Film Dimensions	400-480mm



FULL AUTOMATIC STAND UP POUCH MACHINE

	GHS1
Products	Coffee, Cacao, Milk Powder, Species, Nuts, Dried Fruits, Ready Soups, Tomato Paste, Juice and other similar products.
Min. Pack Diameter	85 x 210 mm.
Max. Pack Diameter	210 x 280 mm.
Max. Roll Diameter	500 mm.
Max. Roll Width	660 mm.
Type of packs	4 Side Sealed, Stand up Pouch With Zip, Euro Hole or Cap
Packing Speed	60-120 ppm.
Machine Dimensions	5200 x 1300 x 2100 mm.
Weight	1800 Kg.
Packaging Material	OPP, CPP, PET, AL, MetOPP and all kinds of laminated film
Electricity Supply	3x380 Volt AC/N/PE / 11.00 Kw/h
Air Supply	6 Bar / 300 - lt./min.



16▶ OVER WEAPPING MACHINE
GOW



BOX OVER WRAPPING MACHINE

	GOW
Capacity	20-80Packing /min
Packet Length	50-320mm
Packet Width	35-110mm
Packet Height	10-80mm
OPP Length	110-420mm
Power	380 V, 3.5KW
Weight	950 kg




HORIZONTAL FLOWPACK MACHINE
GHF



SERVO ASSISTED HORIZONTAL FLOWPACK MACHINE

	GHF
Capacity	300-350Pcs/min
Machine dimensions	8300x800x1630mm
Air	6Bar
Power	7Kw
weight	1250 Kg





17▶

HORIZONTAL PACKING MACHINE
GHM2



MOBIL JAW (CLAW) HORIZONTAL PACKING MACHINE

	GMH2
Capacity	30Pcs/min
Machine dimensions	700x4500x1500mm
Air	6Bar
Power	4.5Kw
weight	800 Kg



HORIZONTAL PACKING MACHINE
GHM3



Rotary Motion HFFS Flowpack Packaging Machine

	GMH3
Capacity	200Pcs/min
Machine dimensions	700x3800x1500mm
Air	6Bar
Power	2,5 Kw
weight	700 Kg



AUTOMATIC CARTONING MACHINE
GAC



AUTOMATIC CARTONING MACHINE

	GAC
Capacity	150bpm
Box dimensions	16-65H 35-65W 50-180L
Electrical Values	380Volt 3Kw/h
Machine dimensions	3700Lx1470H-mm
	1450kg






THERMOFORM FORMING MACHINE
GTFF



THERMOFORM FORMING MACHINE

	GTFF
Capacity	53.000cups/hour
Production Material	PP-PS-PET
Forming Depth	150mm
Width of sheet	710mm
Thickness range of sheet	0.3-2.0mm
Main motor	sew servo 11 Kw
Vacuum pump	Becker 1.5 Kw



GPS
ASCOM MAKINA SAN. TİC. LTD. ŞTİ
Manufacturing Products


FULL AUTOMATIC HORIZONTAL DUPLEX REFRESHING TISSUE - ALCOHOL SWAB MACHINE



	GHT
Capacity	150Packing /min
Min. Sachet Dimensions	50x50 mm
Max. Sachet Dimensions	75x140 mm
Sachet Volume	Max.Liquid Filling Volume 8cc
Film Reel Dimensions	Max. Ø 300 mm.
Non-woven reel dimensions	Max. Ø 1100 mm.
Energy Consumption	3 Kw

FULL AUTOMATIC FLOWPACK PACKING MACHINE

	GFP
Capacity	60Paper towel packs/min
Min. packags size	60x90mm
Max. packags size	150x250 mm
Resistance	8x200 W
Speed adjustment	1.5 KWAC Inverter / 220V
Engine	1.5AC Engine
Energy Consumption	7 Kw



Z-TYPE TISSUE TOWEL FOLDING MACHINE



	GZT
capacity	900pcs / min
vacuum system	22kw
overall size LxWxH	4000x2300x1900mm
max .raw paper dia	1200mm
paper core inside dia	76.2mm



NAPKIN PAPER MACHINE




	GNP
capacity	1200pcs / min
raw paper specification	13-20g/m22-ply wooden pulp paper or others
folder size	230x230 mm
parent size	1200x(230-460)mm
unfolded size	max.460x460mm customized

LCE CREAM COME SLEEVE FORMING MACHINE

	GCC
capacity	250pcs / min
material	General Paper, Al Foil Paper & Dry Wax Paper(80-120g/m ²)k
cup sealing method	Nozzle hot melt sealing
cup size	min 100mm, max 255mm, 15°-28°
Electricity Supply	Maximum 11 KW
Air Supply	6Bar-300 L/min



PAPER CUP FORMING MACHINE




	GCF
capacity	60pcs / min
material	180-380Gr. PE Coated Paper
cup sealing method	ceramic hot air
cup size	4-12OZ
Electricity Supply	Maximum 10 KW
Air Supply	6Bar

22▶

HANDLE CUP FORMING MACHINE

GHF



HANDLE CUP FORMING MACHINE

	GHF
capacity	60pcs / min
materil	1PE &2PE Coated paper(170-500g/m ²)i
cup sealing methobd	Ceramic Hot Air,Heater or Ultrasonic Sealing
cup size	2.5oz-9oz(75ml-270ml)i
Electricity Supply	Approx.5-23Kw

ICE TUBE FORMING MASHINE

GIF




ICE TUBE FORMING MASHINE

	GIF
capacity	50pcs / min
materil	1PE &2PE Coated paper(150-220g/m ²)i
cup sealing methobd	Hot Air Sealing
tube size	400-520 ,120mm-120mm
Electricity Supply	Approx.12Kw



GPS
ASCOM MAKINA SAN. TİC. LTD. Şİ.
Manufacturing



Pick & Place System Features & Benefits

- Pneumatic or Servo controlled.
- Multiple designs available according to customers needs
- User-friendly controls
- Easy maintenance.
- Reduced risk of breakage when handling glass
- Gentle handling of heavy, industrial-sized containers
- Able to use thin-wall containers without sacrificing packaging performance.



STRETCH PACKAGING MACHINE
GSP

HORIZONTAL STRETCH PACKAGING SYSTEM




	GSP
Capacity	20-30pcs/min
Product dimensions	100x(10-300)x(10-120)
Roll dimensions	350-600mm
Electrical consumption	2.5kw-6A 380V
Pneumatic Consumption	10litres/min.at 6 bars

FASCIA PALLET MACHINE
GFM

FASCIA PALLET WRAPPING MACHINE

Pallets Sw2	L	W	H	Kg max
o 1500	1200	800	2100	2000
o 1650	1200	1000	2100	2000
o 1800	1200	1200	2100	2000
Pallets Sw2 HS	L	W	H	Kg max
o 1500	1200	800	2100	1200



STRETCH TRANSFER MACHINE



STRETCH WRAPPING MACHINE



	GSW
Capacity	400MT / MIN
Stretch film size	50mm
Roller tabel speed	1-40rpm/min
The film uses width	12.5 cm
Electrical	1.1 kw
Air pressure	4-6bar
Weight	500 Kg



	GSW
Capacity	600bags / min
Max paper width	900mm
Cutting length	200-780mm
Bag length	175-760mm
Bag width	80-350mm
Max. roll dia	Ø1250mm
Dimensions of the machine	178x11000x253 cm






	GSH
Packaging Material	PE, PVC and other shrinkable materials
Max. Width	650 mm.
Max. Pack Dimension	500 x 1200 x 450 mm.
Conveyor Speed	Can be calibrated between 1,7 - 4,2 m/dk.
Type of Conveyor	Grid band or Bar
Sealing Jaw	Teflon Coated hot sealing bar
Packing Speed	7-12 ppm.
Electricity Supply	3x380 Volt AC / N / PE
Electricity Consumption	8 KW / h
Air Supply	6 Bar
Air Consumption	100 Lt./min.
Dim. of the Mach	1300 x 3800 x 2100 mm
Weight	900 kg.



	GSHA
Capacity	20-24Packs/min
Tunnel Dimension	400x600x2500mm
Reguired Electricity	380V 50-60hz-25 Kw
Mox Air Consumption	500Lt/min-6bar
Package Dimension	300x400x400mm
Max. film thickness	50-200micron
Max. roll width	550mm
Machine weight	3500Kg



DOUBLE CHAMBERS VERTICAL VACUUM MACHINE


	GVV
Capacity	180Packing /h
Vacuum Power	150m ³ /s
Engine Power	3 Kw
Size of the chamber	730x830x300 mm
Sealing Lenght	500x1000mm
Dimensions	1600x1400x1500mm
Weight	745 kg



VACUUM & GAS PRESSURE MACHINE

	GVG
Capacity	2-4Packing /min
Vacuum Power	40m ³
Energy Consumption	1.4 Kw
Size of the chamber	710x975x1600 mm
Air Pressure	max 6 bar
Dimensions	600x800x1400mm
Weight	160 kg





	GHV
Capacity	180Packing /h
Vacuum Power	100m³/s
Engine Power	3 Kw - 2.2 kw
Size of the chamber	755x750x180 mm
Sealing Length	520x1000mm
Dimensions	1470x750x1100mm
Weight	350 kg



MARLIN 52

	MINI JUMBO	BOXER 42	MARLIN 52
Vacuum Pump	4 m³ / h BUSCH	21 m³ / h BUSCH	63 m³ / h BUSCH
Sealing Bar	280 mm	420 mm	520 mm
Number of Sealing Bar	Single	Single	Double
Dim. of the Chamber	280 x 310 x 85	420 x 370 x 180	520 x 500 x 200
Dim. of the Machine	330 x 450 x 295	490 x 525 x 430	700 x 690 x 1030
Electricity / Consumption	0,4 Kw / 220 Volt / 50 Hz.	1.0 Kw / 220 Volt / 50 Hz.	3.5 Kw / 380 Volt / 50 Hz
Body of the Machine	St-Steel Body & Chamber, transparent lid		
Control Panel	Digital / Single Memory	Digital / 10-Memory	Digital / 10-Memory
Soft air	-	Standard	Standard
Mode for Cleaning the Pump	Standard	Standard	Standard
Gas Flushing System	-	Optional	Optional
Packaging Material	PA/PE , PET/PE and other barrier films		



BOXER 42



MINI JUMBO





	GCSM
Capacity	1S/Pcs
Sealing size	28-70mm
Cooling	Air
Voltage	220 V
Machine dimensions	500x235x350mm
Power	1.5 Kw-0.5 Kw
Panel control	LCD Panel




	GCSA
Capacity	8-25mt/min
Sealing size	28-120mm
Cooling	Air+water
Voltage	220 V -380 V
Machine dimensions	540x1740x630mm
Power	4 Kw-8Kw
Panel control	LCD Panel

	GBS
Capacity	300Pcs /min
Sleeve Diameter	35-125mm
Sleeve Height	35 - 300 mm
Sleeve Thickness	50 - 80 µ
Electrical	380 Volt
Dimensions	1250x1800x2600 mm
Weight	800 Kg



ROUND TYPE CUP STICKER LABELING MACHINE



CPS-ASCOM

OVAL TYPE CUP STICKER LABELING MACHINE



31▶

SEMI AUTOMATIC MACHINE
GSA

SEMI AUTOMATIC LOTSELL FILLING MACHINE

	GSA
Capacity	100-150DRUMS/h
Filling range	5-30kg
Filling type	Gravity Force
Filling accuracy	+/-0.01
Dimention of the machine	600x1250x600 mm
Long platig conveyor	2500mm
Energy Consumption	220 V

SEMI AUTOMATIC MACHINE
GSM

SEMI AUTOMATIC FILLING MACHINE



	GSM
Capacity	720Packages/h
Filling range	5-50/100-1000/500-5000ML
Hopper Volume	50L
Air consumption	75L/min
Dimention of the machine	740x1875x1527 mm
Weight	100Kg
Air pressure	6 bar





SEMI AUTOMATIC CAPPING MACHINE FROM ROLL

	GSC
Capacity	450Pcs /h
Machine dimensions	2000x1000x1500mm
Air	6Bar
Power	0.75Kw
weight	150Kg





AUTOMATIC CAPPING MACHINE FROM ROLL

	GSA
Capacity	1000-1200Pcs /h
Cup dimensions	Circular-Oval-square etc
Air	6Bar
Power	0.75Kw
weight	450Kg

33 ▶

SEMI AUTOMATIC CLIP MACHINE
GSX



CARTON CLOSING MACHINE
GSCC

SEMI AUTOMATIC CARTON CLOSING MACHINE



34 ▶ AEROSOL FILLING MACHINE

GGs



PANOMATIC GAS PUMP



SEMI AUTOMATIC AEROSOL FILLING MACHINE

	GGs
Production Capacity	25Pcs /min
Filling Capacity	400cm ³
Working Pressure	8 Kg. / cm ³
Air Consumption	400 Litre / min
weight	65Kg




AIRLY BOTTLE VALVE SELING MACHINE

	GGs1
Production Capacity	15PCS/min
Machine Dimension	450x300x700mm
Working Pressure	6 Kg. / cm ³
Air Consumption	30 Liter/min
weight	25 Kg



INKJET CODING SYSTEMS

GIJ



Print height 2 mm – 106 mm
Print speed 60 mt/min
Graphic – Logo – Barcode print
Different Language Selection
256 message memory
Different keyboard selection
Second Printhead connectivity





GMR 7000 DT



GMR 7700



GMR 2000



GMR 2000 V



GTWM 350



GMR 2000 BDT

MODEL	CAPACITY							
		A	B	C	H	Ø	L	
GMR 2000	270-300 Pcs/min	15-30	20-50	7-28	14-28	20-32	—	
GMR 2000 BDT	270-350 Pcs/min	15-30	20-50	7-28	14-28	20-32	—	
GMR 2000 V	250-300 Pcs/min	15-30	20-50	7-28	—	—	—	
GMR 7000 DT	250-300 Pcs/min	—	—	—	—	15-35	15-35	
GMR 7700 DT	350-400 Pcs/min	15-30	20-60	7-30	14-28	20-32	—	
GTWM 350	180-220 Pcs/min	27-82	85-166	7-16	—	—	—	




MIFER TUPE MACHINE

GMT



3 LAYERED MIFER TUBE MACHINE

	GMT
Capacity	10mt/min
Production	3Layered
Inside Diameter	20-70mm
Cutting Length	1500-3000mm
Air pressure	6bar
Number Of Blades	1
Total Motor Power	4.4Kw




PALLET NAILING MACHINE

GPN



PALLET NAILING MACHINE

	GPN
Capacity	26pieces nail gun
Lenght of nailing pallet	1100X1400mm
Nailing width	1850 mm
Duration of minimum nailing	1 pcs/mln
Dimensions of the machine	2400x3200x3000mm
Electricity Consumption	21,45 kw
Weight	3350 kg



**Head Office****Los Angeles – California USA**

George Nofal

Tel: +18 1 82908503

Fax: +18 1 82908504

usa@gps-ascom.com

**Executive Office****Istanbul - Turkey**

Hussien Sabsabi

Tel: +90 212 4910046

Fax : +90 212 4910042

Mob: +90 532 5884100

info@gps-ascom.com

**After Sales Service:**

+90 531 6751015

**For Any Complaint:**

+90 537 3682828

ARAB WORLD**Algeria – Algeria**

Benbadra

Tel: +213 45 308295

Fax: +213 45 308293

algeria@gps-ascom.com

**Cairo - Egypt**

Bashar Rabih

Tel: +20 23 8320396

Fax: +20 23 8320396

egypt@gps-ascom.com

**Baghdad - Iraq**

Ali Almanger

Tel: +964 79 01908557

Fax: +964 79 02567237

iraq@gps-ascom.com

**Amman - Jordan**

Mahmud Muflih Alzoubi

Tel: +962 6 5525017

Fax: +962 6 5525047

jordan@gps-ascom.com

**Kuwait – Kuwait**

Wakas Tejar

Tel: +965 22 622952

Fax: +965 22 622952

kuwait@gps-ascom.com

**Benghazi - Libya**

Ayad Aldaghari

Tel: +21 89 13325085

Fax: +21 84 83325607

libya@gps-ascom.com

**Beirut - Lebanon**

Joumana Algeldeh

Tel: +961 8 560570

Fax: +961 6 895372

lebanon@gps-ascom.com

**Nouakchott - Mauritania**

Hasan Abass

Tel: +222 46 448678

Fax: +222 45 259723

mauritania@gps-ascom.com

**Muscat - Oman**

Ayman Araar

Tel: +971 4 2545588

Fax: +971 4 2545592

uae@gps-ascom.com

**Palestine**

Mohammed Nawaf Mosleh

Tel: +972 59 7060708

Fax: +970 82 838195

palestine@gps-ascom.com

**Doha - Qatar**

Mohamad Kamand

Tel: +974 55 990669

Fax: +974 34 765342

qatar@gps-ascom.com

**Khartoum - Sudan**

Altaef Hussien Elyas Al Naeel

Tel: +249 91 2304002

Fax: +249 91 2172062

sudan@gps-ascom.com

**Aleppo - Syria**

Hussien Sabsabi

Tel: +963 21 2635892

Fax : +963 21 2635952

syria@gps-ascom.com

**Jeddah - Saudi Arabia**

Mohammad Alharby

Tel: +966 55 3331537

Fax: +966 44 7462381

ksa@gps-ascom.com

**Tunis – Tunis**

Anis Jamoussi

Tel: +216 71 785157

Fax : +216 71 794434

tunis@gps-ascom.com

**Dubai - UAE.**

Ayman Araar

Tel: +971 4 2545588

Fax: +971 4 2545592

uae@gps-ascom.com

AFRICA**Abidjan - Cote D'ivoire**

Chaur

Tel: +225 0 8203737

Fax : +225 2 1352959

cotedivoire@gps-ascom.com

**Kinshasa - Democratic Congo**

Mohamed Ahmed Sheikh

Tel: +243 97 1682465

Fax: +243 97 1682578

congo@gps-ascom.com

**Djiboute – Djiboute**

Sahal Amarkak

Tel: +253 77 872200

Fax: +253 77 634218

djiboute@gps-ascom.com

**EAddis Ababa - Ethiopia**

Green Plc

Tel: +251 9 11201872

Fax: +251 1 16477718

mob: +251911612320

ethiopia@gps-ascom.com

**Tema - Ghana**

Ghassan Krayem

Tel: +233 3 02813347

Fax: +233 3 02811658

ghana@gps-ascom.com

**Nairobi - Kenya**

Faisal Mohammed

Tel: +254 7 24555565

Fax: +254 7 23376891

kenya@gps-ascom.com

**Lagos - Nigeria**

Suliman Junaid

Tel: +234 80 37889132

Fax: +234 80 57327795

nigeria@gps-ascom.com

**Mogadishu - Somalia**

Ahmed Muhammad

Tel: +252 6 15184585

Fax: +252 7 15498561

somalia@gps-ascom.com

**Juba - South Sudan**

Suleyman Haji Abdalla

Tel: +256 7 91467628

Fax: +256 1 91354974

southsudan@gps-ascom.com

**Pretoria - South Africa**

Mohamed Hassan

Tel: +278 2 4471835

Fax: +278 2 7891345

southafrica@gps-ascom.com

**Kampala - Uganda**

Ahmed Abdikader

Tel: +256 7 00937500

Fax: +256 0 08356891

uganda@gps-ascom.com

EUROPE**Sofia - Bulgaria**

Jimmy

Tel: +359 3 2945616

Fax: +359 3 2943217

bulgaria@gps-ascom.com

**Helsinki - Finland**

Shujaa Musse

Tel: +358 9 72317330

Fax: +358 9 72317332

finland@gps-ascom.com

**Paris - France**

Ayman Aktarini

Tel: +33 1 47298227

Fax: +33 1 47298226

france-@gps-ascom.com

**Athens - Greece**

Demetri

Tel: +30 21 09659587

Fax: +30 21 09659134

greece@gps-ascom.com

**Bucharest - Romania**

Ninel

Tel: +40 7 21686275

Fax: +40 7 21682163

romania@gps-ascom.com

**Stockholm - Sweden**

Morhaf Wuq

Tel: +46 7 27150732

Fax: +46 7 27837432

sweden@gps-ascom.com

**Island Of Ibiza - Spain**

Imad Sabsabi

Tel: +34 6 2837916

Fax: +34 6 3642146

spain@gps-ascom.com

ASIA**Beijing - China**

Jimmy +Roza

Tel: +86 1 3911517783

Fax: +86 2 061225416

china-beijing@gps-ascom.com

**Yiwu - China**

Sami + Subhi

Tel: +86 1 5868968851

Fax: +86 5 7985582645

china-yiwu@gps-ascom.com

**Guangzhou - China**

Mustafa

Tel: +86 1 5602203550

Fax: +86 2 083022782

chinaguangzhou@gps-ascom.com

**Tehran - Iran**

Siyamak Motaghi

Tel: +98 91 21728188

Fax: +98 91 21729122

iran@gps-ascom.com

**New Delhi - India**

Kamal Gupta

Tel: +92 2 55140462

Fax: +92 2 55276582

india@gps-ascom.com

**Almata - Kazakhstan**

Sami Sabsabi

Tel: +77 7 77898666

Fax: +77 7 72559516

kazakhstan@gps-ascom.com

**Moscow - Russia**

Mosbah Sabsabi

Tel: +749 9 9184250


Fax: +798 5 9166633

russia@gps-ascom.com



ASCOM MAKINA SAN. Tic .Ltd. Sti

Manufacturing Production Lines



GPS-ASCOM