




Add : Göztepe Mh. Batışehir Cd,Batışehir Sitesi k3
Blok No. : 61, Bağcılar/ İstanbul,Türkiye

Tel : +90 212 491 00 46 - Fax : +90 212 491 00 42
GSM: +90 532 588 41 00 | +90 537 368 28 28
mail: info@gps-ascom.com
Web: www.gps-ascom.com

SESAME
PRODUCTION LINE





GPS as-com Company is an American Company and its Head Office is in California Works in the Fields of Industry and Trade Including Food and Engineering Sector.

In 2009 it Bought 25% Shares of Some Turkish Factories to Produce Machines Which Allowing it the Opportunity to Manage the Sales of These Factories All Over the World.

GPS

ASCOM MAKINA SAN. Tic. Ltd. Sti

Manufacturing Production Lines







ASCOM MAKINA SAN. TİC. LTD. STİ

Manufacturing Production Lines


3 ► Elevator



POWER	2.2 KW
DIMENSIONS	150cm X 100cm Height 400cm
CAPACITY	500 Kgs - 60 min
WEIGHT	350 Kgs




Serial number	2002 - 001
Dimensions	45cm x 97cm x 173 cm
Voltage	230V
Frequency	50 Hz
Phases	1
Power	5 kw
Weight	250 KG



GPS
ASCOM MAKINA SAN. Tic. Ltd. Sti
Manufacturing Production Lines

This drying machine is an ideal machine manufactured accordingly with the technical development in order to dry the watery seeds such as sesame etc. The details in the machine are reduced at minimum. The sesame water is thrown out by the rotating sieve(tambour) making use of the centrifuge system.



CAPACITY	100 KG/6 min
POWER	10 hp - 7,5 kw three phase



Seperation Machine is used for seperating stones or mud ball that are same size as product, after seeds/product have been pre and fine cleaned and graded. Its efficient for all kinds of seeds, grains and dry legumes vegetables. Also cleans straws,chips,dust.


The product feed into the store tank through the feeding elevator from here, it is feed into the main machine.With a vibration produced by an eccentric system and by an air current the crops cleaned free of chips, glasses,stones and soils. Output chutes equipt with sack grips.

Product Type	Manual	Semi-Automatic	PLC
Air Adjustment	Manual	Speed Dial	PLC Speed Dial
Deck Adjustment	Manual	Speed Dial	PLC Motorized
Feeding Rate	Speed Dial	Speed Dial	PLC Speed Dial
Screen Area	1.1 M²		
Motor Number	6		
Motor Power	11 kw		
Standart Votage	380		
Weight	600 KG		
	Eccentric		
	1		





CAPACITY	150 kg / 100 min
DIMENSIONS	280cm x 140 cm x 200 cm
POWER	3 HP-2,2 Kw Three Phases
WEIGHT	900 KG
PAN CYCLE	26 Period/Min
PAN DIAMETER-LENGTH	100cm x 110cm



POWER	7.5 Kw /26 Return/Min
CAPACITY	20 Kg - 2 Hours
DIMENSIONS	360 cm X 150 cm Height : 120 Cm
WEIGHT	1400 Kgs



CAPACITY	200 Kgs/Per Hour
POWER	10Hp-10Hp 1.5Hp 16.5 KW
DIMENSIONS	180 cm X 100 cm X 280 cm
WEIGHT	750 Kgs






POWER	2.2 KW
DIMENSIONS	150cm X 100cm Height 400cm
CAPACITY	500 Kgs - 60 min
WEIGHT	350 Kgs

The sesame should transport from the raw material depot to machine depot with transporterelevator which is height 208 cm from the ground. The transport should make with the elevator which produce with suitable the foodstuffs plastics band. The motor power is 3 kw. The other parts of the elevator is made of chrome, nickel, and it painted which is suitable the foodstuffs. The band works with the automatic swish arrangements. After a same amount of the sesame consume in the raw material depot, the band start to work automatically. And the raw materials depot fill. After this operation the elevator stop automatically itself. The normal flow should supply with the sesame adjustment arm at the raw materials depot.



CAPACITY	250 KG - 500 KG / 100 min
POWER UNIT	4 KW - 7.5 KW
DIMENSIONS	300cmx 120cmx 160cm 350cmx 170CMX 180cm
WEIGHT	1100KG - 1400 KG
PAN PERIOD	26 period / min





STEAM PRESSURE	PNEUMATIC SYSTEM
POWER	2.2 kw
DIMENSIONS	150 cmx 200cm Height 100cm
WEIGHT	500 Kgs
TWO REEL BETWEEN	140 cm
TOW REEL BETWEEN	5 kw
THE REEL OF CHANNEL	5 cm


Designed specially for sesame peeling pools. Provides to take peeled sesame from pool.






POWER	38 KW
DIMENSIONS	500 kgs - Per Hour
CAPACITY	130 cm X 200 cm Height 280 cm
WEIGHT	1200 Kgs

.Ltd. Sti
Production Lines



DIAMETER	160 cm
HEIGHT	220 cm
WEIGHT	500 kg
CAPACITY	300 - 400 kg / Per Hour
FAN MOTOR	3 kw
MOTOR	3 kw

Machine is three floored.From raw material depot control cover opens and raw materials unstucks from big matters at the first sieving floor.At the second floor raw materials unstu-cks from dust,bran and the little matter.Three unloading cover is located at the machi-ne.From first cover bigger matters from second cover bran from third cover very little mat-ters and dust could be taken.



CAPACITY	500 kg / 1 Hour
DIMENSIONS	250 cm * 100 cm
POWER UNIT	2.2 kw + 2.2 kw Vibro Motor
WEIGHT AND HEIGHT	400 kg 240 cm
VIBOR MOTOR PERIOD	90 period / min

The Machine's sieves could be changed so that the machine can sieve every kind of mate-rial.Two vibro motor is using at the machine for vibration.Motor vibration weighths settings could be change.Machine sieving Capacity is equated 500 kg depends on product diffe-rence



CAPACITY	750 kgs/Hour
POWER	7.5 kw
DIMENSIONS	400 cmx 150 cm Height : 275 cm
WEIGHT	600 kgs

Provides pulling sesame from Sesame Frying Pans or sacks with its powerful suction motor.





CAPACITY	1000 kgs / Per Hour
POWER	69 kw
DIMENSIONS	162 cm X 245 cm
HEIGHT	270 cm
WEIGHT	2100 kg



18 Sieving Sesame

GMS 1000-10


The machine consists of three stages the adjusting cover is open in the tank for raw materials. The big bodies are selected from the small bodies such as dust and brans are selected from the raw materials in the second sieving stage. The machine has three throwing out covers the big bodies are separated from the raw materials in the first cover; The raw materials in the second cover; the small bodies such as dust and bran are isolated from the raw materials in the third cover.




CAPACITY	1000 kgs / Per Hour
DIMENSIONS	250cm X 150cm X 240 cm
POWER	2.2 kw + 2.2 kw Vibra Motor
WEIGHT	750 kg
VIBRO MOTOR CYCLE	900 Turns / min

As the sieves are changeable, different materials to be sieved can be dismantled easily by loosening the bolts fixing the sieves and the sieves with different models are mounted easily.

The machine has two vibra motors these can be regulated in accordance with the vibration. Thanks to this adjusting operation, the vibration can be increased and decreased. Thus the fluidity in the sieves can be regulated the sieve height. The sieving capacity of the machine varies from 750 kg/hour to 1500 kg/hour according to the different products. The sieves with double layers are used and there are rubber balls between them in order that they are not obstructed. As these rubber balls are hitting to the sieve while vibrating, they prevent that the holes are obstructed. The machine is made of dyed sheet metal favourable to the food.



CAPACITY	1000 kgs / Per Hour
DIMENSIONS	250cm X 150cm
POWER	2.2 kw + 2.2 kw Vibra Motor
WEIGHT	1350 kg
VIBRO MOTOR PERIOD	900 Period / Hour





CAPACITY	1000 kgs / Per Hour
DIMENSIONS	250cm X 150cm
POWER UNIT	2.2 kw + 2.2 kw X 2 Vibra Motor
WEIGHT	1400 kg
VIBRO MOTOR PERIOD	900 Period / Min

By the Pneumatic Brushes sesame sieving without wastage






TYPE	GMS 3000
POWER	4 Hp X5 = 20 Hp
ELEVETOUR POWER	3 Hp X 2
DIMENSIONS	600 cm x 200 cm x Height 350 cm
CAPACITY	2500 kg/8 hours





CAPACITY	250kgs / Per Hour
POWER	10Hp - 10 Hp - 10Hp 1.5Hp 23Kw
DIMENSIONS	180cm X100 cm X 280 cm
WEIGHT	850 Kgs







**Head Office****Los Angeles – California USA**

George Nofal

Tel: +18 1 82908503

Fax: +18 1 82908504

usa@gps-ascom.com

**Executive Office****Istanbul - Turkey**

Hussien Sabsabi

Tel: +90 212 4910046

Fax : +90 212 4910042

Mob: +90 532 5884100

info@gps-ascom.com

**After Sales Service:**

+90 531 6751015

**For Any Complaint:**

+90 537 3682828

ARAB WORLD**Algeria – Algeria**

Benbadra

Tel: +213 45 308295

Fax: +213 45 308293

algeria@gps-ascom.com

**Cairo - Egypt**

Bashar Rabih

Tel: +20 23 8320396

Fax: +20 23 8320396

egypt@gps-ascom.com

**Baghdad - Iraq**

Ali Almanger

Tel: +964 79 01908557

Fax: +964 79 02567237

iraq@gps-ascom.com

**Amman - Jordan**

Mahmud Muflih Alzoubi

Tel: +962 6 5525017

Fax: +962 6 5525047

jordan@gps-ascom.com

**Kuwait – Kuwait**

Wakas Tejar

Tel: +965 22 622952

Fax: +965 22 622952

kuwait@gps-ascom.com

**Benghazi - Libya**

Ayad Aldaghari

Tel: +21 89 13325085

Fax: +21 84 83325607

libya@gps-ascom.com

**Beirut - Lebanon**

Joumana Algeldeh

Tel: +961 8 560570

Fax: +961 6 895372

lebanon@gps-ascom.com

**Nouakchott - Mauritania**

Hasan Abass

Tel: +222 46 448678

Fax: +222 45 259723

mauritania@gps-ascom.com

**Muscat - Oman**

Ayman Araar

Tel: +971 4 2545588

Fax: +971 4 2545592

uae@gps-ascom.com

**Palestine**

Mohammed Nawaf Mosleh

Tel: +972 59 7060708

Fax: +970 82 838195

palestine@gps-ascom.com

**Doha - Qatar**

Mohamad Kamand

Tel: +974 55 990669

Fax: +974 34 765342

qatar@gps-ascom.com

**Khartoum - Sudan**

Altaef Hussien Elyas Al Naeel

Tel: +249 91 2304002

Fax: +249 91 2172062

sudan@gps-ascom.com

**Aleppo - Syria**

Hussien Sabsabi

Tel: +963 21 2635892

Fax : +963 21 2635952

syria@gps-ascom.com

**Jeddah - Saudi Arabia**

Mohammad Alharby

Tel: +966 55 3331537

Fax: +966 44 7462381

ksa@gps-ascom.com

**Tunis – Tunis**

Anis Jamoussi

Tel: +216 71 785157

Fax : +216 71 794434

tunis@gps-ascom.com

**Dubai - UAE.**

Ayman Araar

Tel: +971 4 2545588

Fax: +971 4 2545592

uae@gps-ascom.com

AFRICA**Abidjan - Cote D'ivoire**

Chaur

Tel: +225 0 8203737

Fax : +225 2 1352959

cotedivoire@gps-ascom.com

**Kinshasa - Democratic Congo**

Mohamed Ahmed Sheikh

Tel: +243 97 1682465

Fax: +243 97 1682578

congo@gps-ascom.com

**Djiboute – Djiboute**

Sahal Amarkak

Tel: +253 77 872200

Fax: +253 77 634218

djiboute@gps-ascom.com

**EAddis Ababa - Ethiopia**

Green Plc

Tel: +251 9 11201872

Fax: +251 1 16477718

mob: +251911612320

ethiopia@gps-ascom.com

**Tema - Ghana**

Ghassan Krayem

Tel: +233 3 02813347

Fax: +233 3 02811658

ghana@gps-ascom.com

**Nairobi - Kenya**

Faisal Mohammed

Tel: +254 7 24555565

Fax: +254 7 23376891

kenya@gps-ascom.com

**Lagos - Nigeria**

Suliman Junaid

Tel: +234 80 37889132

Fax: +234 80 57327795

nigeria@gps-ascom.com

**Mogadishu - Somalia**

Ahmed Muhammad

Tel: +252 6 15184585

Fax: +252 7 15498561

somalia@gps-ascom.com

**Juba - South Sudan**

Suleyman Haji Abdalla

Tel: +256 7 91467628

Fax: +256 1 91354974

southsudan@gps-ascom.com

**Pretoria - South Africa**

Mohamed Hassan

Tel: +278 2 4471835

Fax: +278 2 7891345

southafrica@gps-ascom.com

**Kampala - Uganda**

Ahmed Abdikader

Tel: +256 7 00937500

Fax: +256 0 08356891

uganda@gps-ascom.com

EUROPE**Sofia - Bulgaria**

Jimmy

Tel: +359 3 2945616

Fax: +359 3 2943217

bulgaria@gps-ascom.com

**Helsinki - Finland**

Shujaa Musse

Tel: +358 9 72317330

Fax: +358 9 72317332

finland@gps-ascom.com

**Paris - France**

Ayman Aktarini

Tel: +33 1 47298227

Fax: +33 1 47298226

france-@gps-ascom.com

**Athens - Greece**

Demetri

Tel: +30 21 09659587

Fax: +30 21 09659134

greece@gps-ascom.com

**Bucharest - Romania**

Ninel

Tel: +40 7 21686275

Fax: +40 7 21682163

romania@gps-ascom.com

**Stockholm - Sweden**

Morhaf Wuiq

Tel: +46 7 27150732

Fax: +46 7 27837432

sweden@gps-ascom.com

**Island Of Ibiza - Spain**

Imad Sabsabi

Tel: +34 6 2837916

Fax: +34 6 3642146

spain@gps-ascom.com

ASIA**Beijing - China**

Jimmy +Roza

Tel: +86 1 3911517783

Fax: +86 2 061225416

china-beijing@gps-ascom.com

**Yiwu - China**

Sami + Subhi

Tel: +86 1 5868968851

Fax: +86 5 7985582645

china-yiwu@gps-ascom.com

**Guangzhou - China**

Mustafa

Tel: +86 1 5602203550

Fax: +86 2 083022782

chinaguangzhou@gps-ascom.com

**Tehran - Iran**

Siyamak Motaghi

Tel: +98 91 21728188

Fax: +98 91 21729122

iran@gps-ascom.com

**New Delhi - India**

Kamal Gupta

Tel: +92 2 55140462

Fax: +92 2 55276582

india@gps-ascom.com

**Almata - Kazakhstan**

Sami Sabsabi

Tel: +77 7 77898666

Fax: +77 7 72559516

kazakhstan@gps-ascom.com

**Moscow - Russia**

Mosbah Sabsabi

Tel: +749 9 9184250


Fax: +798 5 9166633

russia@gps-ascom.com



ASCOM MAKINA SAN. Tic .Ltd. Sti

Manufacturing Production Lines



GPS-ASCOM